
59004 Push-Pull Hoe, 270 mm,Red





Easily move, spread, mix or remove ingredients with this 2-in-1 function food hoe. The hoe features separate optimised edges and a rugged, hygienic design. Works with all Vikan threaded handles.



Technical Data

Item Number59004MaterialPolyamideComplies with (EC) 1935/2004 on food contact materials'YesProduced according to EU Regulation 2023/2006/EC of GoodYesBanufacturing PracticeYesFDA compliant raw material (CFR 21)YesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.EU Design no.Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x 200 cm)350 Pcs.Quantity Per Layer (Pallet)50 Pcs.Box Kleight220 mmBox Kleight165 mmLength270 mmWidth5 mmHeight128 mmNet Weight0,19 kgWidth0,03 kgGross Weight0,22 kgCubik metre0,000173 M3Gross Weight contact)175 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)175 °CMin. usage temperature?-20 °CMin. pH-value in usage concentration2 pHMax. Jel-value in usage concentration <th></th> <th></th>		
Complies with (EC) 1935/2004 on food contact materials'YesProduced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesWeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.EU Design No.Design Registration No.EU Design No.Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x 200 cm)350 PcsQuantity Per Layer (Pallet)50 Pcs.Box Height106 mmBox Kidth240 mmBox Height128 mmWidth5 mmHeight128 mmWidth5 mmHeight0.03 kgTare total0.03 kgGross Weight0.22 kgCubik metre0.000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dod contact)175 °CMin. usage temperature (on food contact)175 °CMin. usage temperature (Dod contact)175 °CMin. usage temperature (Box quantity)15705022022836GTIN-14 Number (Box quantity)15705022022836GTIN-14 Number (Box quantity)1570502802844Customs Tariff No.39241000	Item Number	59004
Produced according to EU Regulation 2023/2006/EC of Good Yes Manufacturing Practice FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU Design no. Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 350 Pcs. Quantity Per Layer (Pallet) 50 Pcs. Box Length 320 mm Box Width 240 mm Box Height 165 mm Length 270 mm Width 5 mm Height 128 mm Net Weight 0,19 kg Weight cardboard 0,03 kg Gross Weight 0,22 kg Cubik metre 0,000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Ibishwasher) 93 °C Max. sage temperature (non food contact) 175 °C Min. usage temperature (non food contact) 175 °C Min. usage temperature (non food contact) 175 °C Min. usage te	Material	Polyamide
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. EU Design no. Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 350 Pcs. Quantity Per Layer (Pallet) 50 Pcs. Box Length 320 mm Box Width 240 mm Box Height 165 mm Length 270 mm Width 5 mm Height 128 mm Net Weight 0,19 kg Weight cardboard 0,03 kg Gross Weight 0,22 kg Cubik metre 0,000173 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. Leaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 175 °C Min. usage temperature (non food contact) 175 °C Min. usage temperature (non food contact) 2 pH Max. pH-value in usage concentration 2 pH Max. pH-va	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.EU Design no. 006618070-2Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x 200 cm)350 PcsQuantity Per Layer (Pallet)50 Pcs.Box Klength320 mmBox Klength240 mmBox Height165 mmLength270 mmWidth5 mmHeight0.19 kgWeight cardboard0.03 kgTare total0.03 kgGross Weight0.22 kgCubik metre0.000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)175 °CMin. usage temperature (food contact)175 °CMin. usage temperature (food contact)10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number570502202836GTIN-14 Number (Box quantity)1570502022844Customs Tariff No.39241000		Yes
Use of phthalates and bisphenol ANoIs Halal and Kosher compliantYesDesign Registration No.EU Design no. 006618070-2Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x 200 cm)350 PcsQuantity Per Layer (Pallet)50 Pcs.Box Length320 mmBox Width240 mmBox Height165 mmLength270 mmWidth5 mmHeight128 mmNet Weight0,19 kgWeight cardboard0,03 kgTare total0,00173 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)175 °CMin. usage temperature (non food contact)2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)1570502202844Customs Tariff No.39241000	FDA compliant raw material (CFR 21)	Yes
Is Halal and Kosher compliantYesDesign Registration No.EU Design no. 006618070-2Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x 200 cm)350 PcsQuantity Per Layer (Pallet)50 Pcs.Box Length320 mmBox Width240 mmBox Height165 mmLength270 mmWidth5 mmHeight128 mmNet Weight0,19 kgWeight cardboard0,03 kgTare total0,00173 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)175 °CMin. usage temperature (non food contact)175 °CMin. usage temperature (Nor contact)10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)1570502202844Customs Tariff No.39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No.EU Design no. 006618070-2Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x 200 cm)350 Pcs.Quantity Per Layer (Pallet)50 Pcs.Box Length320 mmBox Width240 mmBox Height165 mmLength270 mmWidth5 mmHeight128 mmNet Weight0,19 kgWeight cardboard0,03 kgTare total0,03 kgGross Weight0,22 kgCubik metre0,000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)175 °CMin. usage temperature (non food contact)10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGTIN-14 Number (Box quantity)1570502202836GTIN-14 Number (Box quantity)1570502022844Customs Tariff No.39241000	Use of phthalates and bisphenol A	No
006618070-2Box Quantity5 Pcs.Quantity per Pallet (80 x 120 x 200 cm)350 Pcs.Quantity Per Layer (Pallet)50 Pcs.Box Length320 mmBox Width240 mmBox Height165 mmLength270 mmWidth5 mmHeight128 mmNet Weight0,19 kgWeight cardboard0,03 kgGross Weight0,22 kgCubik metre0,000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)175 °CMin. usage temperature in Usage Concentration2 pHMax. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGTIn-13 Number570502202836GTIN-14 Number (Box quantity)1570508022844Customs Tariff No.39241000	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm)350 Pcs.Quantity Per Layer (Pallet)50 Pcs.Box Length320 mmBox Width240 mmBox Height165 mmLength270 mmWidth5 mmHeight128 mmNet Weight0,19 kgWeight cardboard0,03 kgTare total0,03 kgCubik metre0,00173 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)175 °CMin. usage temperatures-20 °CMin. usage temperatures-20 °CMin. usage concentration2 pHMax. pH-value in usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Design Registration No.	
Quantity Per Layer (Pallet)50 Pcs.Box Length320 mmBox Width240 mmBox Height165 mmLength270 mmWidth5 mmHeight128 mmNet Weight0,19 kgWeight cardboard0,03 kgTare total0,03 kgGross Weight0,22 kgCubik metre0,000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)175 °CMin. usage temperatures-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number570502202836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Box Quantity	5 Pcs.
Box Length320 mmBox Width240 mmBox Height165 mmLength270 mmWidth5 mmHeight128 mmNet Weight0,19 kgWeight cardboard0,03 kgTare total0,03 kgGross Weight0,22 kgCubik metre0,000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number570502202836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Quantity per Pallet (80 x 120 x 200 cm)	350 Pcs
Box Width240 mmBox Height165 mmLength270 mmWidth5 mmHeight128 mmNet Weight0,19 kgWeight cardboard0,03 kgTare total0,03 kgGross Weight0,22 kgCubik metre0,000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMin. usage temperature (non food contact)175 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGTIN-14 Number (Box quantity)15705022022836GTIN-14 Number (Box quantity)39241000	Quantity Per Layer (Pallet)	50 Pcs.
Box Height165 mmLength270 mmWidth5 mmHeight128 mmNet Weight0,19 kgWeight cardboard0,03 kgTare total0,03 kgGross Weight0,22 kgCubik metre0,000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMin. usage temperature (non food contact)175 °CMin. usage temperature (non food contact)175 °CMin. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number570502202836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Box Length	320 mm
Length270 mmWidth5 mmHeight128 mmNet Weight0,19 kgWeight cardboard0,03 kgTare total0,03 kgGross Weight0,22 kgCubik metre0,000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMin. usage temperature 3-20 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number570502202836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Box Width	240 mm
Width5 mmHeight128 mmNet Weight0,19 kgWeight cardboard0,03 kgTare total0,03 kgGross Weight0,22 kgCubik metre0,000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperatures-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Box Height	165 mm
Height128 mmNet Weight0,19 kgWeight cardboard0,03 kgTare total0,03 kgGross Weight0,22 kgCubik metre0,000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Length	270 mm
Net Weight0,19 kgWeight cardboard0,03 kgTare total0,03 kgGross Weight0,22 kgCubik metre0,000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Width	5 mm
Weight cardboard0,03 kgTare total0,03 kgGross Weight0,22 kgCubik metre0,000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Height	128 mm
Tare total0,03 kgGross Weight0,22 kgCubik metre0,000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number570502202836GTIN-14 Number (Box quantity)1570502802844Customs Tariff No.39241000	Net Weight	0,19 kg
Gross Weight0,22 kgCubik metre0,000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Weight cardboard	0,03 kg
Cubik metre0,000173 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Tare total	0,03 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Gross Weight	0,22 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number570502202836GTIN-14 Number (Box quantity)1570502802844Customs Tariff No.39241000	Cubik metre	0,000173 M3
Max usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)1570502802844Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature320 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Max usage temperature (food contact)	175 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Max usage temperature (non food contact)	175 °C
Max. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Min. usage temperature ³	-20 °C
Recycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022022836GTIN-14 Number (Box quantity)15705028022844Customs Tariff No.39241000	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705022022836 GTIN-14 Number (Box quantity) 15705028022844 Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	10,5 pH
GTIN-14 Number (Box quantity) 15705028022844 Customs Tariff No. 39241000	Recycling Symbol "7", Miscellaneous Plastics	Yes
Customs Tariff No. 39241000	Gtin-13 Number	5705022022836
	GTIN-14 Number (Box quantity)	15705028022844
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.