Lid f/Bucket 5692, 20 Litre, Yellow





Lid for bucket 5692x. Useful for preventing spills and contamination. Features a special stacking rim.

Technical Data

Item Number	56936
Material	Polypropylene
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Use of phthalates and bisphenol A	No
Is Halal compliant	Yes
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	560 Pcs
Quantity Per Layer (Pallet)	30 Pcs.
Box Length	385 mm
Box Width	385 mm
Box Height	120 mm
Length	365 mm
Width	310 mm
Height	40 mm
Gross Weight	0,47 kg
Net Weight	0,4 kg
Cubik metre	0,0063 M3
Volume	20 Litre
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature³	-20 °C
Max. drying temperature	120 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10,5 pH
Recycling Symbol "7", Miscellaneous Plastics	Yes
Gtin-13 Number	5705020569364
GTIN-14 Number (Box quantity)	15705020569361
Customs Tariff No.	39235090
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.