

93325

Cold water hose, 1/2", 15000 mm, White



For cold water cleaning up to 40° C, that 1/2" ready-to-use hose features a 1/2" clutch housing at both ends. Water tap nipple provided for 1/2", 3/4" and M22x1 screw thread types.

Technical Data

Item Number	93325
Couplings Size	1/2 "
Hose Length	15000 mm
Material	PVC Chromium-plated brass
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
Is Halal compliant	Yes
Box Quantity	1 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	168 Pcs
Quantity Per Layer (Pallet)	1 Pcs.
Box Length	250 mm
Box Width	280 mm
Box Height	150 mm
Length	275 mm
Width	260 mm
Height	125 mm
Gross Weight	2,39 kg
Net Weight	2,39 kg
Cubik metre	0,0089 M3
Max. cleaning temperature (Dishwasher)	40 °C
Max usage temperature (non food contact)	40 °C
Min. usage temperature ³	-5 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	11 pH
Max. bars pressure	12 Bar
Gtin-13 Number	5705020933257
GTIN-14 Number (Box quantity)	15705020933254
Customs Tariff No.	3917330090
Country of origin	Denmark

The hose coupling on the hose and foaming gun have to be greased regularly to maintain the coupling ability on the equipment. The grease applied during mounting will be rinsed away by the water flow and thus needs to be renewed.

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH

Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead.