Hose Coupling, 1/2"







Technical Data

| Item Number | 0701 |
|-----------------------------------------------|-----------------------|
| Couplings Size | 1/2 " |
| Material | Chromium-plated brass |
| Meets the REACH Regulation (EC) No. 1907/2006 | Yes ** |
| Use of phthalates and bisphenol A | No |
| Box Quantity | 1 Pcs. |
| Quantity per Pallet (80 x 120 x 200 cm) | 3180 Pcs |
| Quantity Per Layer (Pallet) | 0 Pcs. |
| Box Length | 330 mm |
| Box Width | 180 mm |
| Box Height | 85 mm |
| Length | 160 mm |
| Width | 67 mm |
| Height | 40 mm |
| Gross Weight | 0,11 kg |
| Net Weight | 0,1 kg |
| Cubik metre | 0,0004 M3 |
| Max. cleaning temperature (Dishwasher) | 80 °C |
| Max usage temperature (non food contact) | 70 °C |
| Min. usage temperature ³ | -30 °C |
| Min. pH-value in usage concentration | 2 pH |
| Max. pH-value in Usage Concentration | 11 pH |
| Max. bars pressure | 25 Bar |
| Gtin-13 Number | 5705020007019 |
| GTIN-14 Number (Box quantity) | 15705020007016 |
| Customs Tariff No. | 74032100 |
| Country of origin | Denmark |
| | |

The hose coupling on the hose and foaming gun have to be greased regularly to maintain the coupling ability on the equipment. The grease applied during mounting will be rinsed away by the water flow and thus needs to be renewed.

^{**} Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead.