Padholder, 230 mm, , Black





Secure cleaning pads with a lockable pad holder. Can be used with any Vikan handle, enabling users to safely clean floors, under equipment, stainless steel mezzanines, and white PVC walls.

Technical Data

Stainless Steel (AISI 304) Nylon Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Complies with HDA Regulation (EC) No. 1907/2006 Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No. 2008 Quantity 10 Pcs Countity Per Layer (Pallet) Sox Length Sox Width Sox Height Length Width Sox Height Length Width Sox Height Length Weight toar (Recycling Symbol "4" Low Density Polyethylene LOPE) Weight cardboard (Recycling symbol "20" PAP) Cubic metre Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration No. 2006 Applies with EU Regulation 10 Pcs Applies with Halal and CFR 21¹ Yes Complies with HEU Regulation 10 Pcs No. 1907/2006 Yes Yes Complies with HEU Regulation 10 Pcs No. 1907/2006 Yes Yes Complies with HEU Regulation 10 Pcs No. 1907/2006 Yes Yes Complies with HEU Regulation 10 Pcs No. 1907/2006 Yes Complies with HEU Regulation 10 Pcs No. 1907/2006 Yes Complies with HEU Regulation 10 Pcs No. 1907/2006 No.	Item Number	55009
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA Intentionally added Sox Quantity Countity per Pallet (80 x 120 x 180-200 cm) Countity Per Layer (Pallet) Sox Length Sox Length Cox Width C	Material	Stainless Steel (AISI 304)
Manufacturing Practice Complies with FDA Regulation CFR 211 Yes Complies with UK 2019 No. 704 on food contact materials Complies with REACH Regulation (EC) No. 1907/2006 Complies with California Proposition 65 Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Sox Quantity 10 Pcs Quantity Per Pallet (80 x 120 x 180-200 cm) 1040 Pc Quantity Per Layer (Pallet) 80 Pcs Sox Length 80 x Width 90 Sox Height 140 mm Sox Height 140 mm Notth 140 Met Weight 141 Met Weight 140 Met Weight 1	Complies with (EC) 1935/2004 on food contact materials ¹	No
Complies with UK 2019 No. 704 on food contact materials Note Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Note Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Sox Length Sox Width Sox Width Sox Height Length Cength Width Sox Height Weight Layer (Pallet) Note twelght Note twelght Note the Weight Note the Weight Note the Weight Note the Weight Council of the Weight Note the Weight Council of the Weight Note the Weight Council of the Weight Note th	Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Rox Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Rox Length Rox Width Rox Height Length Yes Meight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard (Recycling symbol "20" PAP) Care total Cares Weight Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration Yes Yes Yes Yes Yes Yes Yes Ye	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Rox Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Rox Width Rox Width Rox Width Rox Height Rox Height Roy He	Complies with UK 2019 No. 704 on food contact materials	No
Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width Cost Height Cost Height Cost Height Cost Height Cost Weight Cost Weight	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Box Quantity Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Box Length Box Width Cost Height Cength Cost Height Cength Cost Height Cost Weight Cos	Complies with California Proposition 65	Yes
Box Quantity Per Pallet (80 x 120 x 180-200 cm) 1040 Pc Quantity Per Layer (Pallet) 80 Pcs Sox Length 375 mm Sox Width 295 mm Sox Height 140 mm Length 230 mm Nidth 95 mm Net Weight 575 mm Net	Complies with Halal and Kosher	Yes
Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Sox Length Sox Width Sox Width Sox Height Length Sox Height Length Width Sox Height Length Weight Sox Height Length Weight Sox Height Length Weight Sox Height Sox Hei	PFAS, Phthalates and BPA intentionally added	No
Quantity Per Layer (Pallet) Box Length Sox Length Sox Width Sox Height Length Length Length Midth Height Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard (Recycling symbol "20" PAP) Care total Cubic metre	Box Quantity	10 Pcs.
Box Length 375 mm Box Width 295 mm Box Height 140 mm Length 230 mm Width 95 mm Weight Weight 0.234 k Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0227 k Fare total 0.0274 k Bross Weight 0.26 k Cubic metre 0.001639 M Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 ph	Quantity per Pallet (80 x 120 x 180-200 cm)	1040 Pcs
Box Width 295 mm Box Height 140 mm Length 230 mm Width 95 mm Net Weight 0.234 k Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0227 k Fare total 0.0274 k Bross Weight 0.26 k Cubic metre 0.001639 M Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 ph	Quantity Per Layer (Pallet)	80 Pcs.
Box Height 140 mm Length 230 mm Width 95 mm Height 75 mm Net Weight 0.234 k Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0227 k Fare total 0.0274 k Gross Weight 0.26 k Cubic metre 0.001639 M Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 ph	Box Length	375 mm
Length 230 mm Width 95 mm Height 75 mm Net Weight Dag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0227 k Fare total 0.0274 k Cubic metre 0.001639 M Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max. drying temperature (120 °C Max. drying temperature (120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 2 ph	Box Width	295 mm
Midth 95 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0227 k Fare total 0.0274 k Gross Weight 0.26 k Cubic metre 0.001639 M Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 ph	Box Height	140 mm
Neight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard (Recycling symbol "20" PAP) Grare total Gross Weight Cubic metre Cubic metre Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration	Length	230 mm
Neight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Neight cardboard (Recycling symbol "20" PAP) Tare total Cross Weight Cubic metre Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration 0.0047 k 0.0027 k	Width	95 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) 0.0047 k Weight cardboard (Recycling symbol "20" PAP) 0.0227 k Fare total 0.0274 k Gross Weight 0.26 k Cubic metre 0.001639 M Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH	Height	75 mm
Neight cardboard (Recycling symbol "20" PAP) Fare total Cubic metre Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration 0.0274 k	Net Weight	0.234 kg
Tare total 0.0274 k Gross Weight 0.26 k Cubic metre 0.001639 M Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 contact) 100 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 ph	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0047 kg
Cubic metre 0.001639 M Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 2 ph	Weight cardboard (Recycling symbol "20" PAP)	0.0227 kg
Cubic metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration	Tare total	0.0274 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration	Gross Weight	0.26 kg
Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 120 °C Min. pH-value in usage concentration	Cubic metre	0.001639 M3
Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration 100 °C	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 ph	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ Max. drying temperature Min. pH-value in usage concentration 2 ph	Max usage temperature (food contact)	100 °C
Max. drying temperature 120 °C Min. pH-value in usage concentration 2 ph	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pt	Min. usage temperature ³	-20 °C
	Max. drying temperature	120 °C
	Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration 8 pt	Max. pH-value in Usage Concentration	8 pH

Gtin-13 Number	5705022044197
GTIN-14 Number (Box quantity)	15705028044204
Customs Tariff No.	39241000
Country of origin	Lithuania

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.