70115

Paddle Scraper Blade, 220 mm, White





Ideal for use as a mixing tool for cooking pots, the Paddle Scraper Blade fits onto any Vikan handle.

Technical Data

Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2080 Pcs Quantity Per Layer (Pallet) 160 Pcs. Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 220 mm Width 115 mm Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature* 20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellan	Item Number	70115
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Manufacturing Practice FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2080 Pcs Quantity Per Layer (Pallet) 160 Pcs. Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 220 mm Width 115 mm Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max usage temperatures 20 °C Min. pH-value in usage concentration 2 pH Max, pH-value in Usage Concentration 12.5 pH Recycling Symbol "7	Material	
Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2080 Pcs Quantity Per Layer (Pallet) 160 Pcs. Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 220 mm Width 115 mm Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Food contact) 100 °C Max usage temperature (Food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes <tr< td=""><td>Complies with (EC) 1935/2004 on food contact materials¹</td><td>Yes</td></tr<>	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2080 Pcs Quantity Per Layer (Pallet) 160 Pcs. Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 220 mm Width 115 mm Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701150 Customs Tariff No. 39241000	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2080 Pcs Quantity Per Layer (Pallet) 160 Pcs. Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 220 mm Width 115 mm Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701150 Customs Tariff No. 39241000	FDA compliant raw material (CFR 21)	Yes
S Halal compliant Yes Box Quantity 20 Pcs Quantity per Pallet (80 x 120 x 200 cm) 2080 Pcs Quantity Per Layer (Pallet) 160 Pcs Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 220 mm Width 115 mm Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 125 pH Max. pH-value in usage concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701150 Customs Tariff No. 39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2080 Pcs Quantity Per Layer (Pallet) 160 Pcs. Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 220 mm Width 115 mm Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701150 Customs Tariff No. 39241000	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 2080 Pcs Quantity Per Layer (Pallet) 160 Pcs. Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 220 mm Width 115 mm Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Is Halal compliant	Yes
Quantity Per Layer (Pallet) 160 Pcs. Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 220 mm Width 115 mm Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Box Quantity	20 Pcs.
Box Length 380 mm Box Width 290 mm Box Height 135 mm Length 220 mm Width 115 mm Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Quantity per Pallet (80 x 120 x 200 cm)	2080 Pcs
Box Width 290 mm Box Height 135 mm Length 220 mm Width 115 mm Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Quantity Per Layer (Pallet)	160 Pcs.
Box Height 135 mm Length 220 mm Width 115 mm Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Box Length	380 mm
Length 220 mm Width 115 mm Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Box Width	290 mm
Width 115 mm Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Box Height	135 mm
Height 33 mm Gross Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Length	220 mm
Net Weight 0,16 kg Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Width	115 mm
Net Weight 0,14 kg Cubik metre 0,0008 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Height	33 mm
Cubik metre0,0008 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration12,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020701153GTIN-14 Number (Box quantity)15705020701150Customs Tariff No.39241000	Gross Weight	0,16 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No.	Net Weight	0,14 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration12,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020701153GTIN-14 Number (Box quantity)15705020701150Customs Tariff No.39241000	Cubik metre	0,0008 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration12,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020701153GTIN-14 Number (Box quantity)15705020701150Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration12,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020701153GTIN-14 Number (Box quantity)15705020701150Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Max usage temperature (food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 12,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration12,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020701153GTIN-14 Number (Box quantity)15705020701150Customs Tariff No.39241000	Min. usage temperature ³	-20 °C
Recycling Symbol "7", Miscellaneous Plastics Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705020701153 GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	12,5 pH
GTIN-14 Number (Box quantity) 15705020701150 Customs Tariff No. 39241000	Recycling Symbol "7", Miscellaneous Plastics	Yes
Customs Tariff No. 39241000	Gtin-13 Number	5705020701153
	GTIN-14 Number (Box quantity)	15705020701150
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.