2973Q6

Aluminium Telescopic waterfed Handle w/metal coupling, 1600 mm, Yellow





Ergonomically designed to improve the user's working position, this water-fed telescopic handle with quick-release coupling hose and comfortable grip is easy to adjust to the required length. Fits any water-fed Vikan product including the condensation squeegee (7716x).. Maximum pressure, 6 bars. Maximum water termperature, 50 °C. Do not use with acid or chlorine.

Technical Data

Item Number	2973Q6
Material	Anodised Aluminium Polypropylene
	Chromium-plated brass
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
Use of phthalates and bisphenol A	No
Is Halal compliant	Yes
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs
Quantity Per Layer (Pallet)	20 Pcs.
Box Length	1645 mm
Box Width	140 mm
Box Height	85 mm
Product Diameter	32 mm
Length	1600 mm
Width	32 mm
Height	32 mm
Max. Length	2780 mm
Gross Weight	1,04 kg
Net Weight	1,02 kg
Cubik metre	0,0016 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (non food contact)	3° 08
Min. usage temperature ³	-20 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
Max. bars pressure	6 Bar
Gtin-13 Number	5705022973602
GTIN-14 Number (Box quantity)	15705022973609
Customs Tariff No.	76082020
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead.

3. Do not store the product below 0° Celsius.