Aluminium Handle, 1310 mm, Orange





Ergonomically designed with a comfortable grip and rounded top and hanger, this handle fits any Vikan product that requires a handle. Do not use with acid or chlorine.

Technical Data

Polypropylene	Item Number	29357
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Use of phthalates and bisphenol A INO Is Halal compliant Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width 190 mm Box Height 80 mm Product Diameter Length 1310 mm Width 131 mm Gross Weight No 52 kg Net Weight Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperatures 100 °C Max usage temperature (non food contact) Max pH-value in usage Concentration Recycling Symbol "7", Miscellaneous Plastics TO 5705020293573 GTIN-14 Number (Box quantity) Customs Tariff No.	Material	
Manufacturing Practice Yes LUSe of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 1345 mm Box Width 190 mm Box Height 80 mm Product Diameter 31 mm Length 1310 mm Width 31 mm Height 31 mm Gross Weight 0,52 kg Net Weight 0,49 kg Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gitn-13 Number 5705020293573 GITI-14 Number (Box quantity) 15705020293570 Customs Tariff No.	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 1345 mm Box Width 190 mm Box Height 80 mm Product Diameter 31 mm Length 1310 mm Width 31 mm Gross Weight 0,52 kg Net Weight 0,49 kg Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gitin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
S Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 1345 mm Box Width 190 mm Box Height 80 mm Product Diameter 31 mm Length 1310 mm Width 31 mm Height 31 mm Gross Weight 0,52 kg Net Weight 0,49 kg Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (Non food co	FDA compliant raw material (CFR 21)	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 1345 mm Box Width 190 mm Box Height 80 mm Product Diameter 31 mm Length 1310 mm Width 31 mm Height 31 mm Gross Weight 0,52 kg Net Weight 0,49 kg Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gitin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Use of phthalates and bisphenol A	No
Quantity Per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 40 Pcs. Box Length 1345 mm Box Width 190 mm Box Height 80 mm Product Diameter 31 mm Length 1310 mm Width 31 mm Height 31 mm Gross Weight 0,52 kg Net Weight 0,49 kg Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gitin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Is Halal compliant	Yes
Quantity Per Layer (Pallet) 40 Pcs. Box Length 1345 mm Box Width 190 mm Box Height 80 mm Product Diameter 31 mm Length 1310 mm Width 31 mm Gross Weight 0,52 kg Net Weight 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Box Quantity	10 Pcs.
Box Length 1345 mm Box Width 190 mm Box Height 80 mm Product Diameter 31 mm Length 1310 mm Width 31 mm Height 31 mm Gross Weight 0,52 kg Net Weight 0,49 kg Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Quantity per Pallet (80 x 120 x 200 cm)	960 Pcs
Box Width 190 mm Box Height 80 mm Product Diameter 31 mm Length 1310 mm Width 31 mm Weight 0,52 kg Net Weight 0,49 kg Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Quantity Per Layer (Pallet)	40 Pcs.
Box Height 80 mm Product Diameter 31 mm Length 1310 mm Width 31 mm Height 31 mm Gross Weight 0,52 kg Net Weight 0,49 kg Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Box Length	1345 mm
Product Diameter 31 mm Length 1310 mm Width 31 mm Height 31 mm Gross Weight 0,52 kg Net Weight 0,49 kg Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Box Width	190 mm
Length 1310 mm Width 31 mm Height 31 mm Gross Weight 0,52 kg Net Weight 0,49 kg Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Box Height	80 mm
Width 31 mm Height 31 mm Gross Weight 0,52 kg Net Weight 0,49 kg Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Product Diameter	31 mm
Height 31 mm Gross Weight 0,52 kg Net Weight 0,49 kg Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Length	1310 mm
Gross Weight 0,52 kg Net Weight 0,49 kg Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Width	31 mm
Net Weight 0,49 kg Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Height	31 mm
Cubik metre 0,0013 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Gross Weight	0,52 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No.	Net Weight	0,49 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHRecycling Symbol "7", Miscellaneous PlasticsNoGtin-13 Number5705020293573GTIN-14 Number (Box quantity)15705020293570Customs Tariff No.76082020	Cubik metre	0,0013 M3
Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No.	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHRecycling Symbol "7", Miscellaneous PlasticsNoGtin-13 Number5705020293573GTIN-14 Number (Box quantity)15705020293570Customs Tariff No.76082020	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Max usage temperature (food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Min. usage temperature ³	-20 °C
Recycling Symbol "7", Miscellaneous Plastics Gtin-13 Number GTIN-14 Number (Box quantity) Customs Tariff No. 76082020	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705020293573 GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Max. pH-value in Usage Concentration	8 pH
GTIN-14 Number (Box quantity) 15705020293570 Customs Tariff No. 76082020	Recycling Symbol "7", Miscellaneous Plastics	No
Customs Tariff No. 76082020	Gtin-13 Number	5705020293573
	GTIN-14 Number (Box quantity)	15705020293570
Country of origin Denmark	Customs Tariff No.	76082020
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.