UST Hand Brush w/long Handle, 395 mm, Hard, White





This ULTRA SAFE TECHNOLOGY (UST) long-handled Hand Brush comes with angled Filament Security Units for optimal cleaning of machines, buckets, containers and tubs in high-risk areas. All UST brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.

Technical Data

Material Polyester Glass reinforced Rolypropylene Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Patent Pending No. PA201270087, PA201270087 Patent Pending No. PA201270088 Box Quantity er Pallet (80 x 120 x 200 cm) 700 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 700 Pcs Box Length 430 mm Box Height 175 mm Box Height 175 mm Height 190 mm Gross Weight 0,23 kg Net Weight 0,23 kg Net Weight 0,23 kg Net Weight 0,23 kg Nax usage temperature (food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max. drying temperature Min. usage temperature M	Item Number	41965
Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal compliant Yes Patent Pending No. PA2012770087 Box Quantity Patent Pending No. Quantity per Pallet (80 x 120 x 200 cm) Quantity per Pallet (80 x 120 x 200 cm) Poss Box Length Box Width Dos Width	Visible bristle length	37 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Meets the REACH Regulation (EC) No. 1907/2006 Yes Wes of phthalates and bisphenol A No Is Halal compliant Yes Patent Pending No. PA201270087 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Height Length Box Height Length Box Height Length Gross Weight O, 23 kg Net Weight O, 23 kg Cubik metre O, 00039 M3 Max usage temperature (food contact) Max usage temperature (non food contact) Recommended sterilisation temperature (Autoclave) Max. drying temperature Min. usage temperature Min. pH-value in usage concentration Recycling Symbol "7", Miscellaneous Plastics Temperature (5000000000000000000000000000000000000	Material	Glass reinforced
Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Patch Pending No. PA201270087 PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 700 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 205 mm Box Height 175 mm Length 395 mm Width 70 mm Height 140 mm Gross Weight 0,23 kg Net Weight 0,23 kg Cubik metre 0,0039 M3 Max usage temperature (food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature 300 °C Max. drying temperature 300 °C Max. ph-value in Usage Concentration 10,5 pH Min. ph-value in usage concentration 2 pH Min. ph-value in usage	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Patent Pending No. PA201270087, PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 700 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 205 mm Box Height 175 mm Length 395 mm Width 70 mm Height 140 mm Gross Weight 0,23 kg Net Weight 0,2 kg Cubik metre 0,0039 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Max. drying temperature² 20 °C Max. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Min. pH-value in usage concentration 2 pH Recycling Sym	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Use of phthalates and bisphenol A No Is Halal compliant Yes Patent Pending No. PA201270087, PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 700 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 205 mm Box Height 175 mm Length 395 mm Width 70 mm Height 140 mm Gross Weight 0,23 kg Net Weight 0,2 kg Cubik metre 0,0039 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Max. ph-value in Usage Concentration 10,5 pH Min. ph-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020419652 GTIN-14 Number (Box quantity) 15705020419652	FDA compliant raw material (CFR 21)	Yes
S Halal compliant Yes Patent Pending No. PA201270087, PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 700 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 205 mm Box Width 205 mm Box Height 175 mm Length 395 mm Width 70 mm Height 140 mm Gross Weight 0,2 kg kg kg kg kg kg kg k	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Patent Pending No. PA201270087 PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 700 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 205 mm Box Height 175 mm Length 395 mm Width 70 mm Height 140 mm Gross Weight 0,2 kg Cubik metre 0,0039 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature 100 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020419652 GTIN-14 Number (Box quantity) 15705020419652 <td>Use of phthalates and bisphenol A</td> <td>No</td>	Use of phthalates and bisphenol A	No
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 700 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 205 mm Box Height 175 mm Length 395 mm Width 70 mm Height 140 mm Gross Weight 0,23 kg Net Weight 0,23 kg Cubik metre 0,0039 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020419652 GTIN-14 Number (Box quantity) 15705020419652	Is Halal compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm) 700 Pcs Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 205 mm Box Height 175 mm Length 395 mm Width 70 mm Height 140 mm Gross Weight 0,23 kg Net Weight 0,039 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020419652 GTIN-14 Number (Box quantity) 15705020419652	Patent Pending No.	
Quantity Per Layer (Pallet) 1 Pcs. Box Length 430 mm Box Width 205 mm Box Height 175 mm Length 395 mm Width 70 mm Height 140 mm Gross Weight 0,23 kg Net Weight 0,039 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperatures -20 °C Max. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020419652 GTIN-14 Number (Box quantity) 15705020419659	Box Quantity	10 Pcs.
Box Length 430 mm Box Width 205 mm Box Height 175 mm Length 395 mm Width 70 mm Height 140 mm Gross Weight 0,2 kg Net Weight 0,0039 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature 100 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020419652 GTIN-14 Number (Box quantity) 15705020419659	Quantity per Pallet (80 x 120 x 200 cm)	700 Pcs
Box Width 205 mm Box Height 175 mm Length 395 mm Width 70 mm Height 140 mm Gross Weight 0,23 kg Net Weight 0,2 kg Cubik metre 0,0039 M3 Max usage temperature (food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020419652 GTIN-14 Number (Box quantity) 15705020419659	Quantity Per Layer (Pallet)	1 Pcs.
Box Height 175 mm Length 395 mm Width 70 mm Height 140 mm Gross Weight 0,23 kg Net Weight 0,039 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020419652 GTIN-14 Number (Box quantity) 15705020419659	Box Length	430 mm
Length 395 mm Width 70 mm Height 140 mm Gross Weight 0,23 kg Net Weight 0,2 kg Cubik metre 0,0039 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020419652 GTIN-14 Number (Box quantity) 15705020419659	Box Width	205 mm
Width 70 mm Height 140 mm Gross Weight 0,23 kg Net Weight 0,2 kg Cubik metre 0,0039 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature (Dishwasher) 93 °C Min. usage temperature 3 -20 °C Min. usage temperature 3 -20 °C Min. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics 7es Gtin-13 Number 5705020419652 GTIN-14 Number (Box quantity) 15705020419659	Box Height	175 mm
Height 140 mm Gross Weight 0,23 kg Net Weight 0,2 kg Cubik metre 0,0039 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature (Dishwasher) 93 °C Min. usage temperature 100 °C Min. usage temperature 100 °C Min. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020419659	Length	395 mm
Gross Weight0,23 kgNet Weight0,2 kgCubik metre0,0039 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020419652GTIN-14 Number (Box quantity)15705020419659	Width	70 mm
Net Weight 0,2 kg Cubik metre 0,0039 M3 Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Min. usage temperature 3 -20 °C Max. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020419659	Height	140 mm
Cubik metre0,0039 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020419652GTIN-14 Number (Box quantity)15705020419659	Gross Weight	0,23 kg
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020419652GTIN-14 Number (Box quantity)15705020419659	Net Weight	0,2 kg
Max usage temperature (non food contact)80 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020419652GTIN-14 Number (Box quantity)15705020419659	Cubik metre	0,0039 M3
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. drying temperature 100 °C Min. usage temperature³ -20 °C Max. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020419659	Max usage temperature (food contact)	80 °C
Max. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020419652GTIN-14 Number (Box quantity)15705020419659	Max usage temperature (non food contact)	80 °C
Max. drying temperature100 °CMin. usage temperature3-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020419652GTIN-14 Number (Box quantity)15705020419659	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature ³ -20 °C Max. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020419652 GTIN-14 Number (Box quantity)	Max. cleaning temperature (Dishwasher)	93 °C
Max. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020419652GTIN-14 Number (Box quantity)15705020419659	Max. drying temperature	100 °C
Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020419652 GTIN-14 Number (Box quantity) 15705020419659	Min. usage temperature ³	-20 °C
Recycling Symbol "7", Miscellaneous Plastics Gtin-13 Number 5705020419652 GTIN-14 Number (Box quantity) 15705020419659	Max. pH-value in Usage Concentration	10,5 pH
Gtin-13 Number 5705020419652 GTIN-14 Number (Box quantity) 15705020419659	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020419659	Recycling Symbol "7", Miscellaneous Plastics	Yes
	Gtin-13 Number	5705020419652
Customs Tariff No. 96039099	GTIN-14 Number (Box quantity)	15705020419659
	Customs Tariff No.	96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.