53609 Tube Brush, 310 mm, Hard, Black





Effectively clean bottles, tubes, kitchen drains and machinery with hard-to-reach surfaces such as conveyor belts with this handy Tube Brush.

Technical Data

304) Complies with (EC) 1935/2004 on food contact materials1 Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Width Box Width Box Width Box Width Box Sight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (Ioshwasher) Max usage temperature (food contact) Min. usage temperature a Min. pH-value in usage concentration Max. pH-value in Usage Concentration Max. PH-value in Usage Concentration	53609
Polyester Stainless 304) Complies with (EC) 1935/2004 on food contact materials ¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Vidth Box Height Product Diameter Length Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Ioshwasher) Max usage temperature (Ion food contact) Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Max. pH-value in Usage Concentration Gtin-13 Number Scustoms Tariff No.	5 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Height Product Diameter Length Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number (Box Quantity) Customs Tariff No.	
Manufacturing Practice FDA compliant raw material (CFR 21) Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal compliant Box Quantity Quantity Per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Height Product Diameter Length Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number (Box Quantity)	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Keight Box Width Box Height Product Diameter Length Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature ³ Min. pH-value in usage concentration Max. pH-value in usage Concentration Gtin-13 Number Box Quantity Customs Tariff No.	Yes
Use of phthalates and bisphenol A Is Halal compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Height Product Diameter Length Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperatures Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number Soute (Box quantity) Log (Constant) Customs Tariff No.	Yes
Is Halal compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Height Product Diameter Length Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number (Box quantity)	Yes
Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Width Box Height Product Diameter Length Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature (and contact) Min. usage temperature (Sourcentration Max. pH-value in usage concentration Gtin-13 Number (Box quantity) Customs Tariff No.	No
Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Height Product Diameter Length Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature (non food contact) Min. usage temperature 3 Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number 5705 GTIN-14 Number (Box quantity) 15705	Yes
Quantity Per Layer (Pallet) Box Length Box Width Box Height Product Diameter Length Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number 5705 GTIN-14 Number (Box quantity) 15705	15 Pcs.
Box Length Box Width Box Height Product Diameter Length Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number S705 GTIN-14 Number (Box quantity) 15705 Customs Tariff No.	4080 Pcs
Box Width Box Height Product Diameter Length Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number S705 GTIN-14 Number (Box quantity) 15705 Customs Tariff No.	150 Pcs.
Box Height Product Diameter Length Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 3 Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number S705 GTIN-14 Number (Box quantity) 15705 Customs Tariff No.	320 mm
Product Diameter Length Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number S705 GTIN-14 Number (Box quantity) 15705 Customs Tariff No.	285 mm
Length Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number 5705 GTIN-14 Number (Box quantity) 15705 Customs Tariff No. 15705	55 mm
Width Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number 5705 GTIN-14 Number (Box quantity) 15705	15 mm
Height Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number 5705 GTIN-14 Number (Box quantity) 15705	310 mm
Gross Weight Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number 5705 GTIN-14 Number (Box quantity) 15705 Customs Tariff No.	22 mm
Net Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number 5705 GTIN-14 Number (Box quantity) 15705	22 mm
Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number 5705 GTIN-14 Number (Box quantity) 15705	0,06 kg
Recommended sterilisation temperature (Autoclave)Max. cleaning temperature (Dishwasher)Max usage temperature (food contact)Max usage temperature (non food contact)Min. usage temperature³Min. pH-value in usage concentrationMax. pH-value in Usage ConcentrationGtin-13 Number5705GTIN-14 Number (Box quantity)15705Customs Tariff No.	0,05 kg
Max. cleaning temperature (Dishwasher)Max usage temperature (food contact)Max usage temperature (non food contact)Min. usage temperature³Min. pH-value in usage concentrationMax. pH-value in Usage ConcentrationGtin-13 Number5705GTIN-14 Number (Box quantity)15705Customs Tariff No.	0,0002 M3
Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number 5705 GTIN-14 Number (Box quantity) 15705 Customs Tariff No.	121 °C
Max usage temperature (non food contact) Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number 5705 GTIN-14 Number (Box quantity) 15705 Customs Tariff No.	93 °C
Min. usage temperature ³ Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number 5705 GTIN-14 Number (Box quantity) 15705 Customs Tariff No.	80 °C
Min. pH-value in usage concentration Max. pH-value in Usage Concentration Gtin-13 Number 5705 GTIN-14 Number (Box quantity) 15705 Customs Tariff No. 15705	80 °C
Max. pH-value in Usage ConcentrationGtin-13 Number5705GTIN-14 Number (Box quantity)15705Customs Tariff No.5705	-20 °C
Gtin-13 Number5705GTIN-14 Number (Box quantity)15705Customs Tariff No.15705	2 pH
GTIN-14 Number (Box quantity)15705Customs Tariff No.	10,5 pH
Customs Tariff No.	020536090
	020536097
Country of origin	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact