Detail Brush with heat resistant filaments, 205 mm, Very hard, Blue





Brush for removing debris from heat sealers and other packing equipment. It is ideal for cleaning grills and frying pans when cleaned whilst still warm.

Technical Data

Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity Per Layer (Pallet) 10 Pcs. Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 205 mm Width 205 mm Widt	Item Number	44023
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) S760 Pcs Quantity Per Layer (Pallet) Box Length Box Height 150 mm Box Height 205 mm Height 60 mm Gross Weight 0,04 kg Net Weight 0,03 kg Cubik metre 0,0002 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (no food contact) Min. usage temperature² Min. usage temperature (non food contact) Max pH-value in usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No.	Visible bristle length	11 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal compliant Sea Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) For Compliant Sea Very (Pallet) Box Length Sea Very (Pallet) Box Height Length Length Length Length Length Length Coubik metre Cubik me	Material	Polyester Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal compliant Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) S760 Pcs Quantity Per Layer (Pallet) Box Length Box Width Box Width Box Height Congress Weight Cubik metre Quibk metre Quantity emperature (Dishwasher) Max usage temperature (non food contact) Min. pH-value in usage concentration Max. pH-value in Usage Concentration Mos Sa Wond Si Halal compliant Yes No Wes Weight 10,0 Pcs. Quantity Per Layer (Pallet) 180 Pcs. Recommended Sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (Took contact) Min. pH-value in usage concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No.	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5760 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Gross Weight 0,04 kg Net Weight 0,03 kg Cubik metre 0,002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 175 °C Min. usage temperature of concentration 2 pH Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5760 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Gross Weight 0,04 kg Net Weight 0,002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5760 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Gross Weight 0,04 kg Net Weight 0,002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5760 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Gross Weight 0,04 kg Net Weight 0,002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 5760 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Gross Weight 0,04 kg Net Weight 0,002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 175 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Is Halal compliant	Yes
Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Gross Weight 0,04 kg Net Weight 0,03 kg Cubik metre 0,0002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 175 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Box Quantity	10 Pcs.
Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Gross Weight 0,04 kg Net Weight 0,002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 175 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Quantity per Pallet (80 x 120 x 200 cm)	5760 Pcs
Box Width 150 mm Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Gross Weight 0,04 kg Net Weight 0,0002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 175 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Quantity Per Layer (Pallet)	180 Pcs.
Box Height 75 mm Length 205 mm Width 20 mm Height 60 mm Gross Weight 0,04 kg Net Weight 0,002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Box Length	260 mm
Length 205 mm Width 20 mm Height 60 mm Gross Weight 0,04 kg Net Weight 0,0002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Box Width	150 mm
Width 20 mm Height 60 mm Gross Weight 0,04 kg Net Weight 0,002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Box Height	75 mm
Height 60 mm Gross Weight 0,04 kg Net Weight 0,0002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Length	205 mm
Gross Weight0,04 kgNet Weight0,03 kgCubik metre0,0002 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705022000315GTIN-14 Number (Box quantity)15705028000323Customs Tariff No.96039091	Width	20 mm
Net Weight 0,03 kg Cubik metre 0,0002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Height	60 mm
Cubik metre 0,0002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Gross Weight	0,04 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No.	Net Weight	0,03 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705022000315GTIN-14 Number (Box quantity)15705028000323Customs Tariff No.96039091	Cubik metre	0,0002 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705022000315GTIN-14 Number (Box quantity)15705028000323Customs Tariff No.96039091	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No.	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705022000315GTIN-14 Number (Box quantity)15705028000323Customs Tariff No.96039091	Max usage temperature (food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Max usage temperature (non food contact)	175 °C
Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Min. usage temperature ³	-20 °C
Gtin-13 Number 5705022000315 GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705028000323 Customs Tariff No. 96039091	Max. pH-value in Usage Concentration	10,5 pH
Customs Tariff No. 96039091	Gtin-13 Number	5705022000315
	GTIN-14 Number (Box quantity)	15705028000323
Country of origin Denmark	Customs Tariff No.	96039091
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.