Pipe Cleaning Brush f/handle, 145 mm, Hard, Green





Easily clean pipes and tubes on appliances such as fish-sorting machines and meat mincers with this versatile Pipe Cleaning Brush. Can be used with any Vikan handle.

Technical Data

Visible bristle length 11 mm Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1560 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 140 mm Product Diameter 63 mm Length 145 mm Width 65 mm Gross Weight 0,14 kg Net Weight 0,12 kg Cubik metre 0,000 f M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 90 °C Max usage temperature (non food contact) 0 °C Min.	Item Number	5380632
Polyester Stainless Steel (AIS stainless Steel (A	Visible bristle length	11 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1560 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 140 mm Product Diameter 63 mm Length 145 mm Width 65 mm Gross Weight 0,14 kg Net Weight 0,12 kg Cubik metre 0,0006 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures 20 °C Min. usage temperature (non food contact) 10,5 pH Max. pH-value in usage Concentration 10,5 pH Gtin-13 Number	Material	Polyester Stainless Steel (AISI
Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1560 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 140 mm Product Diameter 63 mm Length 145 mm Width 65 mm Gross Weight 0,14 kg Net Weight 0,12 kg Cubik metre 0,0006 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature on food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1560 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 140 mm Product Diameter 63 mm Length 145 mm Width 65 mm Gross Weight 0,14 kg Net Weight 0,12 kg Cubik metre 0,0006 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705025380268 Customs Tariff No. 96039099		Yes
Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1560 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 140 mm Product Diameter 63 mm Length 145 mm Width 65 mm Gross Weight 0,14 kg Net Weight 0,12 kg Cubik metre 0,0006 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 10,5 pH Gtin-13 Number 57050253802681 GTIN-14 Number (Box quantity) 15705025380268 Customs Tariff No. 96039099	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1560 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 140 mm Product Diameter 63 mm Length 145 mm Width 65 mm Gross Weight 0,14 kg Net Weight 0,12 kg Cubik metre 0,0006 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 10,5 pH Gtin-13 Number 5705025380268 GTIN-14 Number (Box quantity) 15705025380268 Customs Tariff No. 96039099	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1560 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 140 mm Product Diameter 63 mm Length 145 mm Width 65 mm Gross Weight 0,14 kg Net Weight 0,000 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705025380268 Customs Tariff No. 96039099	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 1560 Pcs Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 140 mm Product Diameter 63 mm Length 145 mm Width 65 mm Gross Weight 0,14 kg Net Weight 0,12 kg Cubik metre 0,0006 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705025380268 Customs Tariff No. 96039099	Is Halal compliant	Yes
Quantity Per Layer (Pallet) 120 Pcs. Box Length 380 mm Box Width 290 mm Box Height 140 mm Product Diameter 63 mm Length 145 mm Width 65 mm Gross Weight 0,14 kg Net Weight 0,12 kg Cubik metre 0,0006 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705025380261 GTIN-14 Number (Box quantity) 15705025380268 Customs Tariff No. 96039099	Box Quantity	15 Pcs.
Box Length 380 mm Box Width 290 mm Box Height 140 mm Product Diameter 63 mm Length 145 mm Width 65 mm Gross Weight 0,14 kg Net Weight 0,12 kg Cubik metre 0,0006 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705025380261 GTIN-14 Number (Box quantity) 15705025380268 Customs Tariff No. 96039099	Quantity per Pallet (80 x 120 x 200 cm)	1560 Pcs
Box Width 290 mm Box Height 140 mm Product Diameter 63 mm Length 145 mm Width 65 mm Gross Weight 0,14 kg Net Weight 0,12 kg Cubik metre 0,0006 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705025380261 GTIN-14 Number (Box quantity) 15705025380268 Customs Tariff No. 96039099	Quantity Per Layer (Pallet)	120 Pcs.
Box Height 140 mm Product Diameter 63 mm Length 145 mm Width 65 mm Gross Weight 0,14 kg Net Weight 0,12 kg Cubik metre 0,0006 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705025380261 GTIN-14 Number (Box quantity) 15705025380268 Customs Tariff No. 96039099	Box Length	380 mm
Product Diameter 63 mm Length 145 mm Width 65 mm Gross Weight 0,14 kg Net Weight 0,12 kg Cubik metre 0,0006 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705025380261 GTIN-14 Number (Box quantity) 15705025380268 Customs Tariff No. 96039099	Box Width	290 mm
Length 145 mm Width 65 mm Gross Weight 0,14 kg Net Weight 0,12 kg Cubik metre 0,0006 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705025380261 GTIN-14 Number (Box quantity) 15705025380268 Customs Tariff No. 96039099	Box Height	140 mm
Width 65 mm Gross Weight 0,14 kg Net Weight 0,12 kg Cubik metre 0,0006 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705025380261 GTIN-14 Number (Box quantity) 15705025380268	Product Diameter	63 mm
Gross Weight0,14 kgNet Weight0,12 kgCubik metre0,0006 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705025380261GTIN-14 Number (Box quantity)15705025380268Customs Tariff No.96039099	Length	145 mm
Net Weight 0,12 kg Cubik metre 0,0006 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705025380261 GTIN-14 Number (Box quantity) 15705025380268 Customs Tariff No. 96039099	Width	65 mm
Cubik metre0,0006 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705025380261GTIN-14 Number (Box quantity)15705025380268Customs Tariff No.96039099	Gross Weight	0,14 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705025380261GTIN-14 Number (Box quantity)15705025380268Customs Tariff No.96039099	Net Weight	0,12 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705025380261GTIN-14 Number (Box quantity)15705025380268Customs Tariff No.96039099	Cubik metre	0,0006 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705025380261GTIN-14 Number (Box quantity)15705025380268Customs Tariff No.96039099	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705025380261GTIN-14 Number (Box quantity)15705025380268Customs Tariff No.96039099	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705025380261 GTIN-14 Number (Box quantity) 15705025380268 Customs Tariff No. 96039099	Max usage temperature (food contact)	80 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705025380261 GTIN-14 Number (Box quantity) 15705025380268 Customs Tariff No. 96039099	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705025380261 GTIN-14 Number (Box quantity) 15705025380268 Customs Tariff No. 96039099	Min. usage temperature ³	-20 °C
Gtin-13 Number 5705025380261 GTIN-14 Number (Box quantity) 15705025380268 Customs Tariff No. 96039099	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705025380268 Customs Tariff No. 96039099	Max. pH-value in Usage Concentration	10,5 pH
Customs Tariff No. 96039099	Gtin-13 Number	5705025380261
	GTIN-14 Number (Box quantity)	15705025380268
Country of origin Denmark	Customs Tariff No.	96039099
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.

3. Do not store the product below 0° Celsius.