

29735



# Aluminium Telescopic waterfed Handle, 1615 - 2780 mm, Ø32 mm, White



Ergonomically designed to improve the user's working position, this water-fed telescopic handle with a hose nozzle and comfortable grip is easy to adjust to the required length. Fits any water-fed Vikan product. Maximum pressure, 6 bars. Maximum water temperature, 50 °C. Do not use with acid or chlorine.

# Technical Data

Item Number	29735
Material	Anodised Aluminium Polypropylene Chromium-plated brass
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
Use of phthalates and bisphenol A	No
Is Halal compliant	Yes
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	500 Pcs
Quantity Per Layer (Pallet)	25 Pcs.
Box Length	1755 mm
Box Width	170 mm
Box Height	75 mm
Product Diameter	32 mm
Length	1615 mm
Width	32 mm
Height	32 mm
Max. Length	2780 mm
Gross Weight	1,08 kg
Net Weight	1,01 kg
Cubik metre	0,0017 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)	80 °C
Min. usage temperature <sup>3</sup>	-20 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
Max. bars pressure	6 Bar
Gtin-13 Number	5705020029738
GTIN-14 Number (Box quantity)	15705020029735
Customs Tariff No.	76082020
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern

(SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead.

3. Do not store the product below 0° Celsius.