Washing Brush w/long handle, 415 mm, Hard, Black







This Washing Brush is ideal for cleaning hard-to-reach surfaces on machines and equipment such as deep buckets, containers and tubs. It has a long handle and angled bristles that enhance cleaning efficacy.

Technical Data

Bristle stiffness Hard Visible bristle length 36 mm Material Polypropylene Polyester Stainless Steel (AlSI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with EACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3 GB 20257000001-3 GB 20257000001-3 Box Quantity 70 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 70 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Length 415 mm Width 71 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0255 kg Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.032 kg Gross Weight 0.0221 kg Gubic metre 0.00221	Item Number	41869
Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation ICFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3 GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 70 Pcs. Length 415 mm Width 71 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0255 kg Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Gross Weight 0.021 kg Cubic metre 0.0021 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C <t< th=""><th>Bristle stiffness</th><th>Hard</th></t<>	Bristle stiffness	Hard
Polyester Stainless Steel (AISI 304)	Visible bristle length	36 mm
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 70 Pcs. Length 415 mm Width 71 mm Width 75 mm Net Weight 0.24 kg Weight Cardboard (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.025 kg Weight cardboard (Recycling symbol "20" PAP) 0.025 kg Tare total 0.0021 kg Gross Weight 0.027 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact)	Material	Polyester Stainless Steel (AISI
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3 (GB 20257000001-3) Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 70 Pcs. Length 415 mm Width 71 mm Height 75 mm Net Weight 0.024 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0255 kg Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.025 kg Cubic metre 0.0021 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3, GB 20257000001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 70 Pcs. Length 415 mm Width 71 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0085 kg Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration		Yes
Complies with REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 002025700-0001-3 GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 70 Pcs. Length 415 mm Width 71 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.024 kg Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature in usage concentration 2 pH	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added Design Registration No. BU 0020257000001-3, GB 20257000001-3, GB 20257000001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 70 Pcs. Length Width 71 mm Height 75 mm Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) O.0255 kg Tare total O.034 kg Gross Weight Cubic metre O.00221 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (not food contact) Min. usage temperature Min. usage temperature Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. EU 0020257000001-3 (GB 20257000001-3 (GB 2025700001-3 (GB 20257000001-3 (GB 202570000001-3 (GB 20257000001-3 (GB 20257000001-3 (GB 202570000001-3 (GB 202570000001-3 (GB 2025	Complies with REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) To Pcs. Length Width 71 mm Height 75 mm Net Weight Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.0025 kg Cubic metre 0.0021 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with California Proposition 65	Yes
Design Registration No. EU 002025700-0001-3 GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs Quantity Per Layer (Pallet) 70 Pcs. Length 415 mm Width 71 mm Height 75 mm Net Weight 0.24 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0085 kg Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.034 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	Complies with Halal and Kosher	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 700 Pcs. Quantity Per Layer (Pallet) 70 Pcs. Length 415 mm Width 71 mm Height 75 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.025 kg Weight cardboard (Recycling symbol "20" PAP) 0.0255 kg Tare total 0.03 kg Gross Weight 0.27 kg Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm)700 PcsQuantity Per Layer (Pallet)70 Pcs.Length415 mmWidth71 mmHeight75 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Design Registration No.	the contract of the contract o
Quantity Per Layer (Pallet)70 Pcs.Length415 mmWidth71 mmHeight75 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Box Quantity	10 Pcs.
Length415 mmWidth71 mmHeight75 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Quantity per Pallet (80 x 120 x 180-200 cm)	700 Pcs
Width71 mmHeight75 mmNet Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Quantity Per Layer (Pallet)	70 Pcs.
Height75 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Length	415 mm
Net Weight0.24 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Width	71 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0085 kgWeight cardboard (Recycling symbol "20" PAP)0.0255 kgTare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Height	75 mm
Weight cardboard (Recycling symbol "20" PAP) Tare total Gross Weight Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration 0.0221 M3 Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH	Net Weight	0.24 kg
Tare total0.034 kgGross Weight0.27 kgCubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH		0.0085 kg
Gross Weight Cubic metre 0.00221 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH	Weight cardboard (Recycling symbol "20" PAP)	0.0255 kg
Cubic metre0.00221 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Tare total	0.034 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Gross Weight	0.27 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Cubic metre	0.00221 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pH	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH	Min. usage temperature ³	-20 °C
	Max. drying temperature	100 °C
Max. pH-value in Usage Concentration 10.5 pH	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH

Gtin-13 Number	5705022025691
GTIN-14 Number (Box quantity)	15705028025708
Customs Tariff No.	96039099
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.