

93373

# Hot Water Hose, 1/2", 20000 mm, Blue



This Hot Water Hose is ideal for cleaning with water up to 70° C. It uses a 1/2" clutch housing connected at both hose ends. Water tap nipple provided for 1/2" inch, 3/4" and M22x1 screw thread types.

# Technical Data

Item Number	93373
Couplings Size	1/2 "
Hose Length	20000 mm
Material	PVC Chromium-plated brass
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
Use of phthalates and bisphenol A	No
Is Halal compliant	Yes
Box Quantity	1 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	90 Pcs
Quantity Per Layer (Pallet)	6 Pcs.
Box Length	380 mm
Box Width	380 mm
Box Height	120 mm
Length	380 mm
Width	380 mm
Height	120 mm
Gross Weight	5,11 kg
Net Weight	5,1 kg
Cubik metre	0,0173 M3
Max. cleaning temperature (Dishwasher)	70 °C
Max usage temperature (non food contact)	70 °C
Min. usage temperature <sup>3</sup>	5 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	11 pH
Max. bars pressure	20 Bar
Gtin-13 Number	5705020933738
GTIN-14 Number (Box quantity)	15705020933735
Customs Tariff No.	3917330090
Country of origin	France

The hose coupling on the hose and foaming gun have to be greased regularly to maintain the coupling ability on the equipment. The grease applied during mounting will be rinsed away by the water flow and thus needs to be renewed.

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead.