29359

Aluminium Handle, 1310 mm, Black





Ergonomically designed with a comfortable grip and rounded top and hanger, this handle fits any Vikan product that requires a handle. Do not use with acid or chlorine.

## **Technical Data**

Material Anodise Polypro   Complies with (EC) 1935/2004 on food contact materials <sup>1</sup> Produced according to EU Regulation 2023/2006/EC of Good   Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice   FDA compliant raw material (CFR 21) Use of phthalates and bisphenol A	ed Aluminium pylene Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21)	Yes
Manufacturing Practice FDA compliant raw material (CFR 21)	
	Yes
Use of phthalates and bisphenol A	Yes
· · ·	No
Is Halal compliant	Yes
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	960 Pcs
Quantity Per Layer (Pallet)	40 Pcs.
Box Length	1345 mm
Box Width	190 mm
Box Height	80 mm
Product Diameter	31 mm
Length	1310 mm
Width	31 mm
Height	31 mm
Gross Weight	0,52 kg
Net Weight	0,49 kg
Cubik metre	0,0013 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	100 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature <sup>3</sup>	-20 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
Recycling Symbol "7", Miscellaneous Plastics	No
Gtin-13 Number 570	5020293597
GTIN-14 Number (Box quantity) 1570	5020293594
Customs Tariff No.	76082020
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.