5551301

UST Detail Brush, 205 mm, Soft, Pink





The UST Detail Brush is designed for detail cleaning in dry environments where soft bristles are useful and hygiene is critical, such as when allergens are a risk. Also useful as a pastry or glazing brush in food handling applications, this brush delivers all the advanced benefits of Vikan's other Ultra Safe Technology (UST) cleaning tools.

Technical Data

Visible bristle length 57 mm Material Polypropylene Polyester Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Patent Pending No. PA201270087 PA201270088 Box Quantity Box Quantity Per Pallet (80 x 120 x 200 cm) 5290 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Vidth 150 mm Box Weight 0,05 mm Vidth 30 mm Height 10 mm Gross Weight 0,04 kg Nausage temperature (food contact) 80 °C Max usage temperature (food contact) 100 °C Max usage temperature (food contact) 00 °C Max usage temperature (food contact) 100 °C Max usage temperature (food contact) 100 °C Max usage temperature (food contact) 100 °C	Item Number	5551301
Polyester Complies with (EC) 1935/2004 on food contact materials1 Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Patent Pending No. PA201270087, PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5290 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Width 150 mm Box Weight 0.04 kg Neight 0.03 kg Cubik metre 0,0001 M3 Max usage temperature (food contact) 100 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Recommended sterilisation temperature (Autoclave) 121 °C Max. usage temperature (Dishwasher) 93 °C	Visible bristle length	57 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal compliantYesPatent Pending No.PA201270087, PA201270088Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)5290 PcsQuantity Per Layer (Pallet)180 Pcs.Box Length260 mmBox Width150 mmBox Height75 mmLength205 mmWidth30 mmHeight0,04 kgCubik metre0,0001 M3Max usage temperature (food contact)80 °CMax usage temperature (food contact)100 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMax. drying temperature100 °CMax. H-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96038099	Material	
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Patent Pending No. PA201270087, PA201270088 Box Quantity 10 Pes. Quantity per Pallet (80 x 120 x 200 cm) 5290 Pes Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Vidth 150 mm Box Height 75 mm Length 205 mm Width 30 mm Height 10 mm Gross Weight 0,04 kg Net Weight 0,03 kg Cubik metre 0,0001 M3 Max usage temperature (food contact) 80 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature ^a -20 °C Max. drying temperature ^a -20 °C Max. drying temperature 100 °C Min. pH-value in Usage Concentration 10,5 pH Min. pH-value in usage concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Patent Pending No. PA201270087, PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5290 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Width 150 mm Box Height 75 mm Length 205 mm Width 30 mm Height 10 mm Gross Weight 0,04 kg Net Weight 0,03 kg Cubik metre 0,0001 M3 Max usage temperature (food contact) 80 °C Max. cleaning temperature (Dishwasher) 93 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Max. drying temperature 100 °C Max. pH-value in Usage Concentration 10,5 pH Min. pH-value in Usage Concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022009196 GTIN-14 Number (Box quantity)<		Yes
Use of phthalates and bisphenol ANoIs Halal compliantYesPatent Pending No.PA201270087, PA201270088Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)5290 PcsQuantity Per Layer (Pallet)180 Pcs.Box Length260 mmBox Width150 mmBox Height75 mmLength205 mmWidth30 mmHeight10 mmGross Weight0,04 kgNet Weight0,03 kgCubik metre0,0001 M3Max usage temperature (food contact)100 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature100 °CMax. drying temperature100 °CMax. drying temperature100 °CMin. pH-value in Usage Concentration10,5 pHMin. pH-value in Usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGTIN-14 Number (Box quantity)1570502009186GTIN-14 Number (Box quantity)1570502009196GTIN-14 Number (Box quantity)1570502009196GTIN-14 Number (Box quantity)1570502009196GTIN-14 Number (Box quantity)1570502009196	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Patent Pending No. PA201270087, PA201270088 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 5290 Pcs Quantity Per Layer (Pallet) 180 Pcs. Box Length 260 mm Box Kleight 150 mm Box Height 75 mm Length 205 mm Width 30 mm Height 10 nmm Gross Weight 0,04 kg Net Weight 0,03 kg Cubik metre 0,0001 M3 Max usage temperature (food contact) 80 °C Max. drying temperature (Dishwasher) 93 °C Max. drying temperature 3 -20 °C Max. drying temperature 3 -20 °C Max. pl-value in Usage Concentration 10,5 pH Min. pH-value in Usage Concentration 2 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705022009196 GTIN-14 Number (Box quantity) 15705028009272 Customs Tariff No. 96039099	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Patent Pending No.PA201270087, PA201270088Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)5290 PcsQuantity Per Layer (Pallet)180 Pcs.Box Length260 mmBox Width150 mmBox Height75 mmLength205 mmWidth30 mmHeight10 nmGross Weight0,04 kgNet Weight0,03 kgCubik metre0,0001 M3Max usage temperature (food contact)80 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature 3-20 °CMax. drying temperature 3-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in Usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGTIN-14 Number (Box quantity)15705022009196GTIN-14 Number (Box quantity)15705022009196GTIN-14 Number (Box quantity)15705022009196GTIN-14 Number (Box quantity)15705022009196	Use of phthalates and bisphenol A	No
PA201270088Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)5290 PcsQuantity Per Layer (Pallet)180 Pcs.Box Length260 mmBox Width150 mmBox Width150 mmBox Height75 mmLength205 mmWidth30 mmHeight0.04 kgNet Weight0.03 kgCubik metre0,0001 M3Max usage temperature (food contact)80 °CMax. cleaning temperature (Dishwasher)93 °CMax. cleaning temperature100 °CMax. cleaning temperature100 °CMax. pH-value in Usage Concentration20,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Is Halal compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm)5290 PcsQuantity Per Layer (Pallet)180 Pcs.Box Length260 mmBox Width150 mmBox Height75 mmLength205 mmWidth30 mmHeight10 mmGross Weight0.04 kgNet Weight0,03 kgCubik metre0,0001 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature100 °CMax. cleaning temperature100 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Patent Pending No.	· · · · · · · · · · · · · · · · · · ·
Quantity Per Layer (Pallet)180 Pcs.Box Length260 mmBox Width150 mmBox Height75 mmLength205 mmWidth30 mmHeight10 mmGross Weight0,04 kgNet Weight0,03 kgCubik metre0,0001 M3Max usage temperature (food contact)80 °CMax. usage temperature (non food contact)100 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature100 °CMax. cleaning temperature100 °CMax. drying temperature100 °CMin. pH-value in Usage Concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Box Quantity	10 Pcs.
Box Length260 mmBox Width150 mmBox Height75 mmLength205 mmWidth30 mmHeight10 mmGross Weight0,04 kgNet Weight0,03 kgCubik metre0,0001 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature3-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Quantity per Pallet (80 x 120 x 200 cm)	5290 Pcs
Box Width150 mmBox Height75 mmLength205 mmWidth30 mmHeight10 mmGross Weight0,04 kgNet Weight0,03 kgCubik metre0,001 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature100 °CMax. drying temperature100 °CMin. usage temperature100 °CMin. suge temperature100 °CMin. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYeesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Quantity Per Layer (Pallet)	180 Pcs.
Box Height75 mmLength205 mmWidth30 mmHeight10 mmGross Weight0,04 kgNet Weight0,03 kgCubik metre0,001 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature100 °CMax. cleaning temperature100 °CMax. drying temperature100 °CMin. usage temperature3-20 °CMin. usage temperature3-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Box Length	260 mm
Length205 mmWidth30 mmHeight10 mmGross Weight0,04 kgNet Weight0,03 kgCubik metre0,0001 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature100 °CMax. cleaning temperature100 °CMax. drying temperature100 °CMin. usage temperature20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Box Width	150 mm
Width30 mmHeight10 mmGross Weight0,04 kgOncols Kg0,03 kgCubik metre0,0001 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. usage temperature100 °CMin. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Box Height	75 mm
Height10 mmGross Weight0,04 kgNet Weight0,03 kgCubik metre0,0001 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. usage temperature100 °CMin. JBAP-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Length	205 mm
Gross Weight0,04 kgNet Weight0,03 kgCubik metre0,0001 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. usage temperature2 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Width	30 mm
Net Weight0,03 kgCubik metre0,0001 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMax. drying temperature100 °CMin. usage temperature3-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Height	10 mm
Cubik metre0,0001 M3Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature3-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number570502209196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Gross Weight	0,04 kg
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature3-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Net Weight	0,03 kg
Max usage temperature (non food contact)100 °CRecommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature3-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Cubik metre	0,0001 M3
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature³-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Max usage temperature (food contact)	80 °C
Max. cleaning temperature (Dishwasher)93 °CMax. drying temperature100 °CMin. usage temperature3-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Max usage temperature (non food contact)	100 °C
Max. drying temperature100 °CMin. usage temperature3-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature3-20 °CMax. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Max. cleaning temperature (Dishwasher)	93 °C
Max. pH-value in Usage Concentration10,5 pHMin. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Max. drying temperature	100 °C
Min. pH-value in usage concentration2 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Min. usage temperature ³	-20 °C
Recycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705022009196GTIN-14 Number (Box quantity)15705028009272Customs Tariff No.96039099	Max. pH-value in Usage Concentration	10,5 pH
Gtin-13 Number 5705022009196 GTIN-14 Number (Box quantity) 15705028009272 Customs Tariff No. 96039099	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705028009272 Customs Tariff No. 96039099	Recycling Symbol "7", Miscellaneous Plastics	Yes
Customs Tariff No. 96039099	Gtin-13 Number	5705022009196
	GTIN-14 Number (Box quantity)	15705028009272
Country of origin Denmark	Customs Tariff No.	96039099
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.