70075

Mixer, Ø31 mm, 890 mm, White





Stir food ingredients in large pots and vats with the small mixer. Heat resistant to 170°C.

Technical Data

Material Polyamide Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 275 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length 890 mm Width 160 mm Height 33 mm Gross Weight 0,94 kg Not Weight 0,92 kg Cubik metre 0,004 kg Nax. cleaning temperature (Dishwasher) 93 °C Max. cleaning temperature (not food contact) 175 °C Max usage temperature (not food contact) 175 °C Min. usage temperature (not food contact) 175 °C </th <th>Item Number</th> <th>70075</th>	Item Number	70075
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Meanufacturing Practice FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 275 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length 890 mm Width 160 mm Height 33 mm Gross Weight 0,94 kg Net Weight 0,92 kg Cubik metre 0,004 Mm Max cleaning temperature (Dishwasher) 93 °C Max usage temperature (Food contact) 175 °C Max usage temperatures 20 °C Min. usage temperature 2 pH Max. pH-value in usage concentration 2 pH Max. pH-value in usage concentration 10,5 pH	Material	Polyamide
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 275 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length 890 mm Width 160 mm Height 33 mm Gross Weight 0,94 kg Net Weight 0,92 kg Cubik metre 0,004 MM Recommended sterilisation temperature (Autoclave) 175 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 175 °C Min. usage temperatures 20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes <th>Complies with (EC) 1935/2004 on food contact materials¹</th> <th>Yes</th>	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 275 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length 890 mm Width 160 mm Height 33 mm Gross Weight 0,94 kg Net Weight 0,92 kg Cubik metre 0,0044 M3 Recommended sterilisation temperature (Autoclave) 175 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020700750 Customs Tariff No. 39241000		Yes
Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 275 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length 890 mm Width 160 mm Height 33 mm Gross Weight 0,94 kg Net Weight 0,92 kg Cubik metre 0,0044 M3 Recommended sterilisation temperature (Autoclave) 175 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 175 °C Min. usage temperature² -20 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020700750 Customs Tariff No. 39241000	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 275 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length 890 mm Width 160 mm Height 33 mm Gross Weight 0,94 kg Net Weight 0,92 kg Cubik metre 0,0044 M3 Recommended sterilisation temperature (Autoclave) 175 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020700750 Customs Tariff No. 39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 275 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length 890 mm Width 160 mm Height 33 mm Gross Weight 0,94 kg Net Weight 0,92 kg Cubik metre 0,0044 M3 Recommended sterilisation temperature (Autoclave) 175 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020700750 Customs Tariff No. 39241000	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 275 Pcs Quantity Per Layer (Pallet) 0 Pcs. Box Length 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length 890 mm Width 160 mm Height 33 mm Gross Weight 0,94 kg Net Weight 0,92 kg Cubik metre 0,0044 M3 Recommended sterilisation temperature (Autoclave) 175 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020700750 Customs Tariff No. 39241000	Is Halal compliant	Yes
Quantity Per Layer (Pallet) 0 Pcs. Box Length 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length 890 mm Width 160 mm Height 33 mm Gross Weight 0,94 kg Net Weight 0,92 kg Cubik metre 0,0044 M3 Recommended sterilisation temperature (Autoclave) 175 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020700750 Customs Tariff No. 39241000	Box Quantity	1 Pcs.
Box Length 890 mm Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length 890 mm Width 160 mm Height 33 mm Gross Weight 0,94 kg Net Weight 0,92 kg Cubik metre 0,0044 M3 Recommended sterilisation temperature (Autoclave) 175 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020700750 Customs Tariff No. 39241000	Quantity per Pallet (80 x 120 x 200 cm)	275 Pcs
Box Width 150 mm Box Height 33 mm Product Diameter 31 mm Length 890 mm Width 160 mm Height 33 mm Gross Weight 0,94 kg Net Weight 0,92 kg Cubik metre 0,0044 M3 Recommended sterilisation temperature (Autoclave) 175 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020700750 Customs Tariff No. 39241000	Quantity Per Layer (Pallet)	0 Pcs.
Box Height 33 mm Product Diameter 31 mm Length 890 mm Width 160 mm Height 33 mm Gross Weight 0,94 kg Net Weight 0,92 kg Cubik metre 0,0044 M3 Recommended sterilisation temperature (Autoclave) 175 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020700750 Customs Tariff No. 39241000	Box Length	890 mm
Product Diameter 31 mm Length 890 mm Width 160 mm Height 33 mm Gross Weight 0,94 kg Net Weight 0,92 kg Cubik metre 0,0044 M3 Recommended sterilisation temperature (Autoclave) 175 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Min. usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020700750 Customs Tariff No. 39241000	Box Width	150 mm
Length 890 mm Width 160 mm Height 33 mm Gross Weight 0,94 kg Net Weight 0,92 kg Cubik metre 0,0044 M3 Recommended sterilisation temperature (Autoclave) 175 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020700750 Customs Tariff No. 39241000	Box Height	33 mm
Width 160 mm Height 33 mm Gross Weight 0,94 kg Net Weight 0,92 kg Cubik metre 0,0044 M3 Recommended sterilisation temperature (Autoclave) 175 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 175 °C Max usage temperature (non food contact) 175 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020700750 Customs Tariff No. 39241000	Product Diameter	31 mm
Height33 mmGross Weight0,94 kgNet Weight0,92 kgCubik metre0,0044 M3Recommended sterilisation temperature (Autoclave)175 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020700750Customs Tariff No.39241000	Length	890 mm
Gross Weight0,94 kgNet Weight0,92 kgCubik metre0,0044 M3Recommended sterilisation temperature (Autoclave)175 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020700750Customs Tariff No.39241000	Width	160 mm
Net Weight0,92 kgCubik metre0,0044 M3Recommended sterilisation temperature (Autoclave)175 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020700750Customs Tariff No.39241000	Height	33 mm
Cubik metre0,0044M3Recommended sterilisation temperature (Autoclave)175 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020700750Customs Tariff No.39241000	Gross Weight	0,94 kg
Recommended sterilisation temperature (Autoclave)175 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020700750Customs Tariff No.39241000	Net Weight	0,92 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020700750Customs Tariff No.39241000	Cubik metre	0,0044 M3
Max usage temperature (food contact)175 °CMax usage temperature (non food contact)175 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020700750Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	175 °C
Max usage temperature (non food contact)175 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020700750Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020700750Customs Tariff No.39241000	Max usage temperature (food contact)	175 °C
Min. pH-value in usage concentration Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics Yes Gtin-13 Number 5705020700750 Customs Tariff No. 39241000	Max usage temperature (non food contact)	175 °C
Max. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsYesGtin-13 Number5705020700750Customs Tariff No.39241000	Min. usage temperature³	-20 °C
Recycling Symbol "7", Miscellaneous Plastics Gtin-13 Number Customs Tariff No. Symbol "7", Miscellaneous Plastics 5705020700750 39241000	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705020700750 Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	10,5 pH
Customs Tariff No. 39241000	Recycling Symbol "7", Miscellaneous Plastics	Yes
	Gtin-13 Number	5705020700750
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

^{1.} See Declaration of Compliance for further details on food contact

3. Do not store the product below 0° Celsius.