Lobby Broom, 260 mm, Soft/hard, Blue





Easily clean the narrow spaces between production line equipment with this Lobby Broom. Ideal for sweeping dry areas, perfect for use with a lobby pan, and can be used with any Vikan handle.

Technical Data

Visible bristle length 75 mm Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 35 mm Height 175 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Gross Weight 0.37 kg Cubik metre 0.001592 kg Gus weight cardboard 0.029 kg Captik weight 0.01592 kg Chax usa	Item Number	31043
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Reight Quantity Per Layer (Pallet) Reight Re	Visible bristle length	75 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Width Cushity Per Layer (Pallet) Length Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Cushity Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Cushity Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Max. drying temperature Max. drying temperature Max. pH-value in usage Concentration 10.5 pH Gtin-13 Number Sombal California Yes Mees Mees Mees the REACH Regulation 100 contact materials Yes Mees Mees the REACH Regulation food contact on the perature of the pera	Material	Polyester Stainless Steel (AISI
Manufacturing Practice Yes Compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 35 mm Height 175 mm Net Weight 0.34 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Gross Weight 0.022 kg Gross Weight 0.037 kg Cubik metre 0.001592 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 80 <td>Complies with (EC) 1935/2004 on food contact materials¹</td> <td>Yes</td>	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Length 260 mm Width 35 mm Height 175 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.37 kg Cubik metre 0.001592 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (mon food contact) 80 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 35 mm Height 175 mm Net Weight 0.34 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.37 kg Cubik metre 0.001592 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020310430	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 35 mm Height 175 mm Net Weight 0.34 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Tare total 0.029 kg Gross Weight 0.37 kg Cubik metre 0.001592 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 35 mm Height 175 mm Net Weight 0.34 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Tare total 0.022 kg Gross Weight 0.37 kg Cubik metre 0.001592 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Min. usage temperature 2 pH Max. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020310430	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 35 mm Height 175 mm Net Weight 0.34 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.37 kg Cubik metre 0.001592 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020310430	California Proposition 65 Compliant	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 35 mm Height 175 mm Net Weight 0.34 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.37 kg Cubik metre 0.001592 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020310430	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 80 Pcs. Length 260 mm Width 35 mm Height 175 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.01592 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020310430	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)80 Pcs.Length260 mmWidth35 mmHeight175 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard0.022 kgTare total0.0298 kgGross Weight0.37 kgCubik metre0.001592 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020310430	Box Quantity	10 Pcs.
Length 260 mm Width 35 mm Height 175 mm Net Weight 0.34 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.37 kg Cubik metre 0.001592 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020310430	Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs
Width 35 mm Height 175 mm Net Weight 0.34 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.37 kg Cubik metre 0.001592 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (Min. usage temperat	Quantity Per Layer (Pallet)	80 Pcs.
Height175 mmNet Weight0.34 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard0.022 kgTare total0.0298 kgGross Weight0.37 kgCubik metre0.001592 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020310430	Length	260 mm
Net Weight0.34 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard0.022 kgTare total0.0298 kgGross Weight0.37 kgCubik metre0.001592 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020310430	Width	35 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard0.022 kgTare total0.0298 kgGross Weight0.37 kgCubik metre0.001592 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020310430	Height	175 mm
Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.001592 M3 Cubik metre 0.001592 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (Max. drying temperature) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020310430	Net Weight	0.34 kg
Tare total 0.0298 kg Gross Weight 0.37 kg Cubik metre 0.001592 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020310430		0.0078 kg
Gross Weight 0.37 kg Cubik metre 0.001592 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020310430	Weight cardboard	0.022 kg
Cubik metre0.001592 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020310430	Tare total	0.0298 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020310430	Gross Weight	0.37 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020310430	Cubik metre	0.001592 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020310430	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020310430	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ Max. drying temperature Min. pH-value in usage concentration pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020310430	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020310430	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020310430	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020310430	Max. drying temperature	100 °C
Gtin-13 Number 5705020310430	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705020310437	Gtin-13 Number	5705020310430
	GTIN-14 Number (Box quantity)	15705020310437

Customs Tariff No. 96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.