Pipe Cleaning Brush f/handle, 160 mm, Medium, Red





This tube brush has bristles along the sides as well as in the front. It is used in areas where a wider tube cleaning action is required or where the equipment being cleaned, has an end point that cannot be reached with a hand brush

Technical Data

Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity Per Pallet (80 x 120 x 200 cm) 960 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs. Box Length 400 mm Box Width 315 mm Box Width 315 mm Product Diameter 175 mm Product Diameter 175 mm Width 90 mm Widt	Item Number	53801754
Complies with (EC) 1935/2004 on food contact materials¹ Peolysester Stainless Steel (AISI 304) Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Wes of phthalates and bisphenol A Is Halal compliant Box Quantity Per Pallet (80 x 120 x 200 cm) Quantity per Pallet (80 x 120 x 200 cm) Box Length Box Width Box Width Box Height Box Height Box Height Box Height Box Height Box Width Box Height Box Width Box Height Box Height Box Height Box Width Box Width Box Height Box Height Box Height Box Height Box Height Box Height Box Width Box Width Box Height Box Height Box Height Box Height Box Height Box Height Box Width Box Height Box Height	Visible bristle length	30 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal compliant Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Height 100 mm Box Width 115 mm Box Height 120 mm Product Diameter Length Hoight Gross Weight No. 43 kg Net Weight Cubik metre 0,0026 M3 Recommended sterillisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (non food contact) Max. pH-value in Usage Concentration Max. pH-value in Usage Concentration Recycling Symbol "7", Miscellaneous Plastics No. Gtin-13 Number 6705028001207 Customs Tariff No.	Material	Polyester Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal compliant Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Box Length Box Width Box Width Box Height Chength Che	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 60 Pcs. Box Length 400 mm Box Width 315 mm Box Height 320 mm Product Diameter 175 mm Length 160 mm Width 90 mm Gross Weight 0,43 kg Net Weight 0,39 kg Cubik metre 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ² 20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 <td>Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice</td> <td>Yes</td>	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 400 mm Box Width 315 mm Box Height 320 mm Product Diameter 175 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0,43 kg Net Weight 0,39 kg Cubik metre 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (usage concentration 2 pH Max. pH-value in usage concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705022001190 <t< td=""><td>FDA compliant raw material (CFR 21)</td><td>Yes</td></t<>	FDA compliant raw material (CFR 21)	Yes
S Halal compliant Yes Box Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs Quantity Per Layer (Pallet) 60 Pcs Box Length 400 mm Box Width 315 mm Box Height 320 mm Product Diameter 175 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0,43 kg Net Weight 0,39 kg Cubik metre 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food cont	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 400 mm Box Width 315 mm Box Height 320 mm Product Diameter 175 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0,43 kg Net Weight 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 157050220011207 Customs Tariff No. 96039099	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 960 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Box Length 400 mm Box Width 315 mm Box Height 320 mm Product Diameter 175 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0,43 kg Net Weight 0,39 kg Cubik metre 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 157050220011207 Customs Tariff No. 96039099	Is Halal compliant	Yes
Quantity Per Layer (Pallet) 60 Pcs. Box Length 400 mm Box Width 315 mm Box Height 320 mm Product Diameter 175 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0,43 kg Net Weight 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Box Quantity	10 Pcs.
Box Length 400 mm Box Width 315 mm Box Height 320 mm Product Diameter 175 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0,43 kg Net Weight 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Quantity per Pallet (80 x 120 x 200 cm)	960 Pcs
Box Width 315 mm Box Height 320 mm Product Diameter 175 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0,43 kg Net Weight 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Quantity Per Layer (Pallet)	60 Pcs.
Box Height 320 mm Product Diameter 175 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0,43 kg Net Weight 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Box Length	400 mm
Product Diameter 175 mm Length 160 mm Width 90 mm Height 90 mm Gross Weight 0,43 kg Net Weight 0,39 kg Cubik metre 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Box Width	315 mm
Length 160 mm Width 90 mm Height 90 mm Gross Weight 0,43 kg Net Weight 0,39 kg Cubik metre 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Box Height	320 mm
Width 90 mm Height 90 mm Gross Weight 0,43 kg Net Weight 0,39 kg Cubik metre 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Product Diameter	175 mm
Height 90 mm Gross Weight 0,43 kg Net Weight 0,39 kg Cubik metre 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Length	160 mm
Gross Weight 0,43 kg Net Weight 0,39 kg Cubik metre 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Width	90 mm
Net Weight 0,39 kg Cubik metre 0,0026 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Height	90 mm
Cubik metre0,0026M3Recommended sterilisation temperature (Autoclave)121°CMax. cleaning temperature (Dishwasher)93°CMax usage temperature (food contact)80°CMax usage temperature (non food contact)100°CMin. usage temperature³-20°CMin. pH-value in usage concentration2pHMax. pH-value in Usage Concentration10,5pHRecycling Symbol "7", Miscellaneous PlasticsNoGtin-13 Number5705022001190GTIN-14 Number (Box quantity)15705028001207Customs Tariff No.96039099	Gross Weight	0,43 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGtin-13 Number5705022001190GTIN-14 Number (Box quantity)15705028001207Customs Tariff No.96039099	Net Weight	0,39 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGtin-13 Number5705022001190GTIN-14 Number (Box quantity)15705028001207Customs Tariff No.96039099	Cubik metre	0,0026 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGtin-13 Number5705022001190GTIN-14 Number (Box quantity)15705028001207Customs Tariff No.96039099	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No.	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Max usage temperature (food contact)	80 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration10,5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGtin-13 Number5705022001190GTIN-14 Number (Box quantity)15705028001207Customs Tariff No.96039099	Min. usage temperature ³	-20 °C
Recycling Symbol "7", Miscellaneous Plastics Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705022001190 GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Max. pH-value in Usage Concentration	10,5 pH
GTIN-14 Number (Box quantity) 15705028001207 Customs Tariff No. 96039099	Recycling Symbol "7", Miscellaneous Plastics	No
Customs Tariff No. 96039099	Gtin-13 Number	5705022001190
	GTIN-14 Number (Box quantity)	15705028001207
Country of origin Denmark	Customs Tariff No.	96039099
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.