Hot Water Hose, 1/2", 15000 mm, Blue





This Hot Water Hose is ideal for cleaning with water up to 70° C. It uses a 1/2" clutch housing connected at both hose ends. Water tap nipple provided for 1/2" inch, 3/4" and M22x1 screw thread types.

Technical Data

Item Number	93363
Couplings Size	1/2 "
Hose Length	15000 mm
Material	PVC Chromium-plated brass
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
Use of phthalates and bisphenol A	No
Is Halal compliant	Yes
Box Quantity	1 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	84 Pcs
Quantity Per Layer (Pallet)	6 Pcs.
Box Length	360 mm
Box Width	350 mm
Box Height	110 mm
Length	360 mm
Width	350 mm
Height	110 mm
Gross Weight	3,86 kg
Net Weight	3,85 kg
Cubik metre	0,0139 M3
Max. cleaning temperature (Dishwasher)	70 °C
Max usage temperature (non food contact)	70 °C
Min. usage temperature ³	5 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	11 pH
Min. Bars pressure	20 Bar
Max. bars pressure	20 Bar
Gtin-13 Number	5705020933639
GTIN-14 Number (Box quantity)	15705020933636
Customs Tariff No.	3917330090
Country of origin	France

The hose coupling on the hose and foaming gun have to be greased regularly to maintain the coupling ability on the equipment. The grease applied during mounting will be rinsed away by the water flow and thus

needs to be renewed.

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead.