Aluminium Telescopic handle, 1575 mm, Red



This telescopic handle can be easily adjusted to the required length, making it ideal for cleaning walls and canopies. Its ergonomic design and comfortable grip improve user comfort. Can be used with any product in the Vikan range. Do not use with acid or chlorine.

Technical Data

Complies with (EC) 1935/2004 on food contact materials¹ No Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 500 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length 1650 mm Box Width 140 mm Box Height 85 mm Product Diameter 32 mm Length 1575 mm Width 32 mm Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature in on food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plas	Item Number	29754
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes Manufacturing Practice FDA compliant raw material (CFR 21) Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 500 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length 1650 mm Box Width 140 mm Box Height 85 mm Product Diameter 32 mm Length 1575 mm Width 32 mm Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperatures 20 °C Min. pH-value in usage concentration 8 pH Max, pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No GTIN-14 Number (Box quantity)	Material	
Manufacturing Practice Yes LOS of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 500 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length 1650 mm Box Width 140 mm Box Height 85 mm Product Diameter 32 mm Length 1575 mm Width 32 mm Height 32 mm Max. Length 2780 mm Gross Weight 1.01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 8 pH Max. pH-value in usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297540 GtIN-14 Number (Box quantity) 157050	Complies with (EC) 1935/2004 on food contact materials ¹	No
Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 500 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length 1650 mm Box Width 140 mm Box Height 85 mm Product Diameter 32 mm Length 1575 mm Width 32 mm Height 32 mm Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297547 Customs Tariff No. 76082020	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Is Halal compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 500 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length 1650 mm Box Width 140 mm Box Height 85 mm Product Diameter 32 mm Length 1575 mm Width 32 mm Height 32 mm Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. usage temperature (symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297540 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	FDA compliant raw material (CFR 21)	Yes
Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 500 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length 1650 mm Box Width 140 mm Box Height 85 mm Product Diameter 32 mm Length 1575 mm Width 32 mm Height 32 mm Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297540 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Use of phthalates and bisphenol A	No
Quantity Per Pallet (80 x 120 x 200 cm) 500 Pcs Quantity Per Layer (Pallet) 25 Pcs. Box Length 1650 mm Box Width 140 mm Box Height 85 mm Product Diameter 32 mm Length 1575 mm Width 32 mm Height 32 mm Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297540 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Is Halal compliant	Yes
Quantity Per Layer (Pallet) 25 Pcs. Box Length 1650 mm Box Width 140 mm Box Height 85 mm Product Diameter 32 mm Length 1575 mm Width 32 mm Height 32 mm Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297540 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Box Quantity	5 Pcs.
Box Length 1650 mm Box Width 140 mm Box Height 85 mm Product Diameter 32 mm Length 1575 mm Width 32 mm Height 32 mm Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperatures 2 pH Max. pH-value in usage concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297547 Gtin-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Quantity per Pallet (80 x 120 x 200 cm)	500 Pcs
Box Width 140 mm Box Height 85 mm Product Diameter 32 mm Length 1575 mm Width 32 mm Height 32 mm Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297547 GtIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Quantity Per Layer (Pallet)	25 Pcs.
Box Height 85 mm Product Diameter 32 mm Length 1575 mm Width 32 mm Height 32 mm Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297540 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Box Length	1650 mm
Product Diameter 32 mm Length 1575 mm Width 32 mm Height 32 mm Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297540 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Box Width	140 mm
Length 1575 mm Width 32 mm Height 32 mm Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297540 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Box Height	85 mm
Width 32 mm Height 32 mm Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297540 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Product Diameter	32 mm
Height 32 mm Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297547 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Length	1575 mm
Max. Length 2780 mm Gross Weight 1,01 kg Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297540 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Width	32 mm
Gross Weight1,01 kgNet Weight0,95 kgCubik metre0,0016 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHRecycling Symbol "7", Miscellaneous PlasticsNoGtin-13 Number5705020297540GTIN-14 Number (Box quantity)15705020297547Customs Tariff No.76082020	Height	32 mm
Net Weight 0,95 kg Cubik metre 0,0016 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297540 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Max. Length	2780 mm
Cubik metre0,0016M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHRecycling Symbol "7", Miscellaneous PlasticsNoGtin-13 Number5705020297540GTIN-14 Number (Box quantity)15705020297547Customs Tariff No.76082020	Gross Weight	1,01 kg
Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297540 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No.	Net Weight	0,95 kg
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)80 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHRecycling Symbol "7", Miscellaneous PlasticsNoGtin-13 Number5705020297540GTIN-14 Number (Box quantity)15705020297547Customs Tariff No.76082020	Cubik metre	0,0016 M3
Max usage temperature (non food contact)80 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration8 pHRecycling Symbol "7", Miscellaneous PlasticsNoGtin-13 Number5705020297540GTIN-14 Number (Box quantity)15705020297547Customs Tariff No.76082020	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature ³ Min. pH-value in usage concentration PH-value in Usage Concentration Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number GTIN-14 Number (Box quantity) Customs Tariff No. -20 °C PH 5 pH 7 pH 8 pH 7 pH 8	Max usage temperature (food contact)	80 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 8 pH Recycling Symbol "7", Miscellaneous Plastics No Gtin-13 Number 5705020297540 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Max usage temperature (non food contact)	80 °C
Max. pH-value in Usage Concentration8 pHRecycling Symbol "7", Miscellaneous PlasticsNoGtin-13 Number5705020297540GTIN-14 Number (Box quantity)15705020297547Customs Tariff No.76082020	Min. usage temperature ³	-20 °C
Recycling Symbol "7", Miscellaneous Plastics Gtin-13 Number 5705020297540 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705020297540 GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Max. pH-value in Usage Concentration	8 pH
GTIN-14 Number (Box quantity) 15705020297547 Customs Tariff No. 76082020	Recycling Symbol "7", Miscellaneous Plastics	No
Customs Tariff No. 76082020	Gtin-13 Number	5705020297540
	GTIN-14 Number (Box quantity)	15705020297547
Country of origin Denmark	Customs Tariff No.	76082020
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.