Hand Brush S / Nailbrush, 130 mm, Hard, Blue





The large dimensions of this nailbrush facilitates quick effective nail and hand cleaning. The bristles are stiff enough to be effective but fine enough to reach under the nail area without causing damage to the skin. The hole in the base allows you to link a stainless steel cable to the wall or sink. Is also ideal for cleaning work benches and cutting boards.

Technical Data

Visible bristle length 17 mm Material Polypropylene Polysester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials* Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 285 mm Box Width 195 mm Box Height 180 mm Length 130 mm Width 50 mm Height 40 mm Gross Weight 0,11 kg Cubik metre 0,003 Mm Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (not contact) 0 °C Min. usage temperature (not contact) 0 °C	Item Number	64403
Polyester Stainless Steel (AIS stainless Steel (A	Visible bristle length	17 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 400 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 285 mm Box Width 195 mm Box Height 180 mm Length 130 mm Width 50 mm Height 40 mm Gross Weight 0,11 kg Net Weight 0,11 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures 20 °C Min. pH-value in usage concentration 10,5 pH Gtin-13 Number 5705020644030 GTIN-14 Number (Box quantity) 157050206440	Material	Polyester Stainless Steel (AISI
Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 285 mm Box Width 195 mm Box Height 180 mm Length 130 mm Width 50 mm Height 40 mm Gross Weight 0,11 kg Net Weight 0,11 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 105 pH Max. pH-value in usage concentration 2 pH </td <td>Complies with (EC) 1935/2004 on food contact materials¹</td> <td>Yes</td>	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 285 mm Box Width 195 mm Box Height 180 mm Length 130 mm Width 50 mm Height 40 mm Gross Weight 0,11 kg Net Weight 0,11 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature in usage concentration 2 pH Max. pH-value in usage Concentration 10,5 pH Gtin-13 Number 5705020644030 GTIN-14 Number (Box quantity) 15705020644037 Customs Tariff No. 96039099		Yes
Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 285 mm Box Width 195 mm Box Height 180 mm Length 130 mm Width 50 mm Height 40 mm Gross Weight 0,11 kg Net Weight 0,11 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 10,5 pH Gtin-13 Number 5705020644030 GTIN-14 Number (Box quantity) 15705020644037 Customs Tariff No. 96039099	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs Quantity Per Layer (Pallet) 400 Pcs. Box Length 285 mm Box Width 195 mm Box Height 180 mm Length 130 mm Width 50 mm Height 40 mm Gross Weight 0,11 kg Net Weight 0,11 kg Cubix metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020644037 Customs Tariff No. 96039099	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs. Quantity Per Layer (Pallet) 400 Pcs. Box Length 285 mm Box Width 195 mm Box Height 180 mm Length 130 mm Width 50 mm Height 40 mm Gross Weight 0,11 kg Net Weight 0,11 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020644037 Customs Tariff No. 96039099	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 4000 Pcs Quantity Per Layer (Pallet) 400 Pcs Box Length 285 mm Box Width 195 mm Box Height 180 mm Length 130 mm Width 50 mm Height 40 mm Gross Weight 0,11 kg Net Weight 0,1 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020644030 GTIN-14 Number (Box quantity) 15705020644037 Customs Tariff No. 96039099	Is Halal compliant	Yes
Quantity Per Layer (Pallet) 400 Pcs. Box Length 285 mm Box Width 195 mm Box Height 180 mm Length 130 mm Width 50 mm Height 40 mm Gross Weight 0,11 kg Net Weight 0,1 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020644030 GTIN-14 Number (Box quantity) 15705020644037 Customs Tariff No. 96039099	Box Quantity	25 Pcs.
Box Length 285 mm Box Width 195 mm Box Height 180 mm Length 130 mm Width 50 mm Height 40 mm Gross Weight 0,11 kg Net Weight 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020644030 GTIN-14 Number (Box quantity) 15705020644037 Customs Tariff No. 96039099	Quantity per Pallet (80 x 120 x 200 cm)	4000 Pcs
Box Width 195 mm Box Height 180 mm Length 130 mm Width 50 mm Height 40 mm Gross Weight 0,11 kg Net Weight 0,1 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020644030 GTIN-14 Number (Box quantity) 15705020644037 Customs Tariff No. 96039099	Quantity Per Layer (Pallet)	400 Pcs.
Box Height 180 mm Length 130 mm Width 50 mm Height 40 mm Gross Weight 0,11 kg Net Weight 0,003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020644030 GTIN-14 Number (Box quantity) 15705020644037 Customs Tariff No. 96039099	Box Length	285 mm
Length 130 mm Width 50 mm Height 40 mm Gross Weight 0,11 kg Net Weight 0,1 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020644030 GTIN-14 Number (Box quantity) 15705020644037 Customs Tariff No. 96039099	Box Width	195 mm
Width 50 mm Height 40 mm Gross Weight 0,11 kg Net Weight 0,1 kg Cubik metre 0,0003 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020644030 GTIN-14 Number (Box quantity) 15705020644037 Customs Tariff No. 96039099	Box Height	180 mm
Height40 mmGross Weight0,11 kgNet Weight0,1 kgCubik metre0,0003 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020644030GTIN-14 Number (Box quantity)15705020644037Customs Tariff No.96039099	Length	130 mm
Gross Weight0,11 kgNet Weight0,1 kgCubik metre0,0003 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020644030GTIN-14 Number (Box quantity)15705020644037Customs Tariff No.96039099	Width	50 mm
Net Weight0,1 kgCubik metre0,0003 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020644030GTIN-14 Number (Box quantity)15705020644037Customs Tariff No.96039099	Height	40 mm
Cubik metre0,0003M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020644030GTIN-14 Number (Box quantity)15705020644037Customs Tariff No.96039099	Gross Weight	0,11 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020644030GTIN-14 Number (Box quantity)15705020644037Customs Tariff No.96039099	Net Weight	0,1 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020644030GTIN-14 Number (Box quantity)15705020644037Customs Tariff No.96039099	Cubik metre	0,0003 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020644030GTIN-14 Number (Box quantity)15705020644037Customs Tariff No.96039099	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020644030GTIN-14 Number (Box quantity)15705020644037Customs Tariff No.96039099	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020644030 GTIN-14 Number (Box quantity) 15705020644037 Customs Tariff No. 96039099	Max usage temperature (food contact)	80 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020644030GTIN-14 Number (Box quantity)15705020644037Customs Tariff No.96039099	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020644030 GTIN-14 Number (Box quantity) 15705020644037 Customs Tariff No. 96039099	Min. usage temperature ³	-20 °C
Gtin-13 Number 5705020644030 GTIN-14 Number (Box quantity) 15705020644037 Customs Tariff No. 96039099	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020644037 Customs Tariff No. 96039099	Max. pH-value in Usage Concentration	10,5 pH
Customs Tariff No. 96039099	Gtin-13 Number	5705020644030
	GTIN-14 Number (Box quantity)	15705020644037
Country of origin Denmark	Customs Tariff No.	96039099
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.